



Complete Stock Price List - Effective 3 April 2018

***** CERTIFICATES OF CALIBRATION ARE NOT INCLUDED - CAN BE QUOTED SEPERATELY IF REQUIRED *****

Model	Description		Price Excl VAT	Price Incl VAT @ 15%
Anemometers - Hot Wire				
ET-961	Hot film anemometer, velocity & temp, rechargeable battery, telescopic probe	A	2950.00	3392.50

Anemometers - Pocket

GM8910	Multi-function pocket weather meter c/w strap	A	1290.00	1483.50
WS4000	Mini pocket anemometer c/w mini tripod	A	650.00	747.50

Anemometers - Vane

AZ8905	Mini 18mm vane anemometer-psychrometer-data logger with telescopic probe	A	5800.00	6670.00
ET-955	Basic flow anemometer-thermometer c/w 75mm vane sensor and case	A	1850.00	2127.50

Anemometers - Spare Vanes

AZ899P	Spare telescopic mini 18mm vane anemometer probe for AZ8905	A	3200.00	3680.00
ET-955P	Spare vane probe for ET-955 anemometer	A	900.00	1035.00

Borescopes - Video and Still Photo (Mini Inspection Cameras)

F303	3.7mm tip,1m flexible tube,3.5"TFT LCD,6xLED's,USB,4GB SD, case, charger	A	6490.00	7463.50
F309	9mm tip, dual camera, 3m tube ,3.5"TFT LCD,6xLED's,USB,4GB SD, case, charger	A	5995.00	6894.25
RA3505M-G2M	5.5mm tip, 2m tube ,3.5" LCD,6xLED,USB,4GB SD,mirror,hook,magnet,case, charger	A	3750.00	4312.50
RA3505M-G5M	5.5mm tip, 5m tube ,3.5" LCD,6xLED,USB,4GB SD,mirror,hook,magnet,case, charger	A	4720.00	5428.00
RA3508M-G2M	8.5mm tip, 2m tube ,3.5" LCD,6xLED,USB,4GB SD,mirror,hook,magnet,case, charger	A	3800.00	4370.00
RA3508M-G5M	8.5mm tip, 5m tube ,3.5" LCD,6xLED,USB,4GB SD,mirror,hook,magnet,case, charger	A	4250.00	4887.50

Borescopes - Spare Cameras

F9D	Spare 9mm dual camera head on 3m tube for F series c/w handle and cable	A	3505.00	4030.75
RA05-2M	Spare 5.5mm camera head on 2m tube for RA series	A	1870.00	2150.50
RA05-5M	Spare 5.5mm camera head on 2m tube for RA series	A	2485.00	2857.75
RA08-2M	Spare 8.5mm camera head on 2m tube for RA series	A	1400.00	1610.00
RA08-5M	Spare 8.5mm camera head on 5m tube for RA series	A	1925.00	2213.75
RA05-HMM	Spare hook, mirror and magnet set for 5.5mm camera	A	450.00	517.50
RA08-HMM	Spare hook, mirror and magnet set for 8.5mm camera	A	400.00	460.00

Calibrators

V01+	Professional Temp calibrator, source only RTD/Thermocouples c/w case & leads	A	4250.00	4887.50
V02+	Professional Thermocouple calibrator, read and source c/w case and leads	A	4250.00	4887.50
V05+	Professional Loop calibrator,read mV/V/mA, sink&source mA, step/ramp,case&leads	A	4925.00	5663.75
VA-701	mA/V Calibrator - read, sink, source,step/ramp, 24V loop supply c/w case & leads	A	3750.00	4312.50
VA-DCEXT	External AC/DC adapter for VA-701 calibrator	A	450.00	517.50

Carbon Dioxide / Oxygen (IAQ) Meters

M98192	CO2+O2, 0-9999ppm, data logging, temp, humidity c/w case, AC adapt, sw, USB	B	6250.00	7187.50
M98516P	Spare probe for M98192 meter	B	4189.00	4817.35
S653	Data logger, CO2 0-5000ppm, temp, humidity c/w batteries, software & USB cable	B	4200.00	4830.00

Clamp Adapters

SK870	0-1200AAC with 0-12VAC output	A	295.00	339.25
-------	-------------------------------	---	--------	--------

Coating Thickness Gauge (DTFG)

EC-770	F+NF Integral probe, stats, memory, USB c/w case, software, zero disc + foils	A	3600.00	4140.00
CM8811FN	F+NF separate probe, stats, memory, colour LCD c/w case, probe, zero disc + foils	A	5650.00	6497.50
FN101	Spare F+NF probe for CM8811 meter	A	1950.00	2242.50
ETG12F2	Professional Ferrous only, separate probe, stats c/w case, F probe, zero disc + foils	A	6200.00	7130.00

Colorimeter (Colour Difference)

WR10	CIELAB, 8mm aperture, 2.8" TFT True colour LCD c/w case and charger	B	6400.00	7360.00
------	---------------------------------------------------------------------	---	---------	---------

Concrete and Mortar Test hammer

HT-20	Strength 1 to 25MPa, standard energy 0.196J, 8mm diameter tip	A	3200.00	3680.00
HT-225A	Strength 10 to 60MPa, standard energy 2.207J c/w grinding stone and spare spring	A	3450.00	3967.50

Conductivity/TDS - Bench Top Meters

B510	Basic EC/TDS/Temp c/w K=1 probe, temp probe, probe holder and AC adapter	B	5495.00	6319.25
------	--------------------------------------------------------------------------	---	---------	---------

Conductivity/TDS/Salt - Portable Meters

M1410K	IP67 Rugged waterproof EC/TDS/Salt & temp meter c/w case and probe	A	3400.00	3910.00
M9401	Spare PVC/Graphite conductivity probe for M1400K	A	1350.00	1552.50
AZ8306	Digital conductivity, TDS and salinity meter c/w case and EC probe	A	3400.00	3910.00
AZ830P	Spare PVC/Graphite conductivity probe for AZ8306	A	1225.00	1408.75
AZ831P	Spare Glass/Platinum conductivity probe for AZ8306	A	1425.00	1638.75
EC-BUFFER	Conductivity buffer solutions, 500ml 1413µS	A	295.00	339.25

Data Loggers - SMS Alarm/GSM/GPRS

R90-ET-G	Large display, external Temperature logger, -40~+125°C c/w software	A	3675.00	4226.25
R90-EX-G	Large display, external Temp/Humidity logger, -40~+100°C/0-100%RH c/w software	A	3950.00	4542.50

Data Loggers - USB Connection

DWL-10	Large display, internal Temperature logger, -35~+80°C c/w software	A	1750.00	2012.50
DWL-10E	Large display, external Temperature logger, -40~+125°C c/w software	A	2175.00	2501.25
DWL-20	Large display, internal Temp/Humidity logger, -35~+80°C/0-100%RH c/w software	A	2350.00	2702.50
DWL-20E	Large display, external Temp/Humidity logger, -40~+100°C/0-100%RH c/w software	A	3175.00	3651.25
S150-DP1	Low pressure, -125 to +125Pa with display, c/w software and USB cable	B	3800.00	4370.00
S150-DP5	Low pressure, -500 to +500Pa with display, c/w software and USB cable	B	4350.00	5002.50
S210-AS	Two channel 0-25mA, counter/Hz, LCD c/w terminal strip, software and USB cable	B	2600.00	2990.00
S220-T2	Two channel Thermocouple (8 types) with LCD c/w software and USB cable	B	2375.00	2731.25
S220-T8	Eight channel Thermocouple (8 types) with LCD c/w software and USB cable	B	4980.00	5727.00
SSN-11	USB Temperature logger, -35~+80°C, LCD c/w software	A	1200.00	1380.00
SSN-22	USB Temp/Humidity logger, -35~+80°C/0-100%RH, LCD c/w software	A	1550.00	1782.50
SSN-22ET	USB Temp/RH/External Temp, -35~+80°C/0-100%RH, LCD c/w software & probe	A	2100.00	2415.00
SSN-31	USB DC voltage logger, 0~30VDC, LCD c/w software	A	1650.00	1897.50
SSN-41	USB DC 0-20mA logger, LCD c/w software	A	1595.00	1834.25
SSN-61	USB Thermocouple logger, single input (8 types) LCD c/w software	A	1795.00	2064.25
SSN-71	USB Temp/RH/Barometric pressure, -35~+80°C/0-100%RH, LCD c/w software	A	2170.00	2495.50
SSN-ETP	Spare external temperature probe for SSN-22ET logger	A	350.00	402.50

Dissolved Oxygen - Portable Meter

M1500K	IP67 Rugged waterproof DO meter c/w case, membrane & M9501-3 Galvanic probe	A	3250.00	3737.50
M9501-3	Spare Galvanic DO probe on 3m cable with membrane	A	1250.00	1437.50
M9501-7	Optional Galvanic DO probe on 7m cable with membrane	A	1375.00	1581.25
M9501-M	Spare membrane for M9501 DO probe with electrolyte refill	A	425.00	488.75
AZ8602	Dissolved oxygen meter only c/w carry case - Needs AZ841P probe below	A	2250.00	2587.50
AZ841P	Polarographic DO probe for AZ8602/8603 (not suitable if Sulphur is present)	A	1245.00	1431.75
AZ840A	Spare membrane and o-ring kit with refill solution for AZ841P probe	A	479.00	550.85

Distance Meters (Laser Distance Meters)

FL-60	Economic, 0.05 ~ 60m, Indoor use	A	1350.00	1552.50
FL-100	Economic, 0.05 ~ 100m, Indoor use	A	1995.00	2294.25
XP2	Professional, tilt/angle, 0.05 ~ 70m, Indoor/Outdoor (depends on conditions)	A	1650.00	1897.50
XP3	Professional, tilt/angle, 0.05 ~ 100m, Indoor/Outdoor (depends on conditions)	A	2850.00	3277.50
XP4	Professional, digital viewfinder, tilt/angle, 0.05 ~ 100m, Indoor/Outdoor	A	4800.00	5520.00

Force Gauges - Digital Push/Pull (Sundoo)

FG107-100K	100kg (1000N) internal sensor c/w case and standard attachments	B	3795.00	4364.25
SH-10	10N (1kg) internal sensor c/w case, charger and standard attachments	B	4250.00	4887.50
SH-50	50N (5kg) internal sensor c/w case, charger and standard attachments	B	4250.00	4887.50
SH-100	100N (10kg) internal sensor c/w case, charger and standard attachments	B	4250.00	4887.50
SH-200	200N (20kg) internal sensor c/w case, charger and standard attachments	B	4250.00	4887.50
SH-500	500N (50kg) internal sensor c/w case, charger and standard attachments	B	4250.00	4887.50

Gloss Meters *** WG68 normally +/-4 weeks delivery ***

WG60	Professional, digital, 0-200GU, 60 degrees c/w case, charger & gloss standard	A	4500.00	5175.00
WG68	Tri-Angle 20/60/85 degree, digital, 0-200GU c/w case, charger & gloss standard	B	16500.00	18975.00

Hardness Testers - Durometers for Rubber and Plastic

EHS1A	Professional Shore A durometer for soft rubber with peak hold, 0.1 resolution	A	4800.00	5520.00
EHS5D	Professional Shore D durometer for hard rubber / plastics with peak hold, 0.1 resolution	A	5800.00	6670.00
TS150A	Economic pocket Shore A durometer for soft rubber, 0.5 resolution	A	1850.00	2127.50
TS180D	Economic pocket Shore D durometer for hard rubber/plastics, 0.5 resolution	A	2400.00	2760.00

Hardness Testers - Metal

THL210	Leeb, Memory, HLD,HRB,HRC,HB,HV,HSD c/w case,D device+test block	A	7500.00	8625.00
THL280Plus	Leeb, Rugged, Memory, HLD,HRB,HRC,HB,HV,HSD c/w case,D device+test block	A	9995.00	11494.25
THL-C	Optional C impact device - complete probe ** Special Import +/-6-8 weeks **	A	4200.00	4830.00
THL-D	Spare D impact device - complete probe	A	3725.00	4283.75

THL-Cable	Spare cable for PRLH impact devices	A	1125.00	1293.75
THL-SR	Complete set of support rings ** Special Import +/-6-8 weeks **	A	3400.00	3910.00

Heat Index Checker (WBGT)

AZ87782	Portable heat index monitor, 75mm black ball - WBGT, TG, TA and RH	A	2350.00	2702.50
---------	--------------------------------------------------------------------	---	---------	---------

Humidity, Temperature and Dew Point - Portable Meters

ET-951W	RH, T, DP, WB - fast response c/w separate probe and case	A	1750.00	2012.50
---------	-----------------------------------------------------------	---	---------	---------

Humidity and Temperature - Large Displays

HE212A	30mm Red LED, wall mount, 220VAC with probe on 3m cable	A	2250.00	2587.50
HE218A	45mm Red LED, wall mount, 220VAC with probe on 3m cable	A	3295.00	3789.25

Humidity and Temperature, Min/Max - Wall Mount or Free Standing

AZ87791	Digital triple display wall mount thermohygrometer with Dew Point, internal sensors	A	825.00	948.75
288-CTH	Digital triple display wall mount thermohygrometer clock, internal sensors	A	250.00	287.50
288A-CTH	Digital triple display wall mount thermohygrometer clock, external probe on 2m cable	A	295.00	339.25
288A-P	Spare external humidity/temp probe on 2m cable for 288A-CTH	A	125.00	143.75
FL-201	Digital triple display wall mount thermohygrometer clock	A	250.00	287.50
FL-201W	Digital triple display wall mount thermohygrometer clock + external temp probe	A	295.00	339.25
TM803	Digital fridge/freezer thermometer, external probe, alarm, min/max, magnet	A	225.00	258.75
WH0100	Digital triple display wall mount thermohygrometer + outdoor sensor	A	320.00	368.00

Humidity and Temperature - Transmitters

HE400A	Humidity and temperature, internal sensors, 4-20mA, LCD	A	1490.00	1713.50
HE400A-EX	Humidity and temperature, external sensors, 4-20mA, LCD c/w probe on 3m cable	A	1695.00	1949.25
HE400P	Spare probe on 3m cable for HE400A-EX	A	750.00	862.50
M880TRE	Humidity and temperature, 24VDC, 4-20mA/0-10V, LCD c/w probe on 3m cable	A	1935.00	2225.25

Light/Lux - Portable Meters

MS6612T	Digital light meter, integral sensor, manual setting for coloured LED's c/w case	A	1450.00	1667.50
TM-209	Digital light meter, separate sensor, correction for white LED only c/w case	A	2395.00	2754.25

Light/Lux - Transmitter

RK210-01BBA-L	Illuminance transmitter, 0-2000 Lux, 4-20mA, 24VDC, LCD display with 1.5m cable	B	2225.00	2558.75
---------------	---------------------------------------------------------------------------------	---	---------	---------

Microscopes - Digital USB

UM012C	USB digital microscope, 300X magnification, 5MP, c/w software, cable, stand	B	1100.00	1265.00
UM038	LCD digital microscope, 300X magnification, 5MP, 3.5" TFT c/w sw, cable, stand	B	1900.00	2185.00

Moisture Meters - Concrete, Wood

HYDRO-Tec	Pinless concrete & wood moisture meter c/w carry pouch	A	2795.00	3214.25
-----------	--------------------------------------------------------	---	---------	---------

Moisture Meters - Grits, Grain and Seed

TG	Professional Twist Grain moisture and temperature meter, 39 types	B	4995.00	5744.25
GMM-Mini	Professional Impedance Type Grain moisture and temperature meter, 33 types + GRITS	B	4650.00	5347.50
KM-36G	Economic Jug Grains moisture meter, with weighing function & temperature comp.	B	2995.00	3444.25

Moisture Meters - Hay and Straw

HMM	Professional hay/straw moisture and temperature meter c/w 560mm probe	B	5900.00	6785.00
-----	-----------------------------------------------------------------------	---	---------	---------

Moisture Meters - Soil

SMT-100	Soil moisture and temperature meter c/w case and probe	B	3500.00	4025.00
SMT-MS10C	Spare probe for SMT-100 meter	B	1750.00	2012.50

Moisture Analysers - Drying Balance

XY-100MWT	Touchscreen, Halogen moisture analyser (drying balance), 110g / 1mg (0.01%)	B	19995.00	22994.25
XY-100MW	Halogen moisture analyser (drying balance), 110g / 1mg readability (0.01%)	B	16750.00	19262.50
XY-105MW	Halogen moisture analyser (drying balance), 110g / 5mg readability (0.1%)	B	11500.00	13225.00
XY-PRINTER	Thermal RS232 printer for XY moisture analysers	B	1950.00	2242.50
XY-PANS	Pack of 50 aluminium pans - 90mm	B	349.00	401.35
XY-LAMP	Spare halogen lamp (Unit must be returned - includes fitting and test)	B	1250.00	1437.50

Multimeter

VA90A	6000 count, Touch Pad, IP65 waterproof, CATIII 1000V / CATIV 600V	A	1395.00	1604.25
-------	-------------------------------------------------------------------	---	---------	---------

Panel Meters - Process and AC V+A

D800-IRR	AC 0-5A/600V, Power, 2 alarm relays, 4-20mA retrans, 90~260VAC	A	850.00	977.50
DS8BE-IRRB	Universal input, 2 alarm relays, 4-20mA retrans, 24VDC aux, 18~30VDC supply	A	850.00	977.50
DS8B-IRRB	Universal input, 2 alarm relays, 4-20mA retrans, 24VDC aux, 90~260VAC supply	A	850.00	977.50

pH/ORP - Bench Top Meters

B210	Basic pH/mV/Temp meter c/w epoxy electrode, temp probe, holder, AC adapter	B	5200.00	5980.00
PHS-3BW	Economical pH/mV/Temp meter c/w epoxy electrode, temp probe, holder, AC adpt.	B	4600.00	5290.00
E201	Plastic body pH electrode with Teflon junction, 1m cable with BNC	A	950.00	1092.50
E202	Plastic body FLAT tip pH electrode with Teflon junction, 1m cable with BNC	A	1365.00	1569.75
E65-1	Glass body pH electrode with ceramic junction, 1m cable with BNC	A	950.00	1092.50
PH-BUFFER	pH buffer solutions, 500ml each - 4, 7 and 10	A	495.00	569.25

pH/ORP - Pen/Pocket Type Meters

AZ8692	Low cost disposable pen type pH meter c/w protection bottle and batteries	A	795.00	914.25
PH5	Premium pH/ORP pocket type meter c/w case, pH electrode, buffers (ORP is optional)	A	1495.00	1719.25
ORP5-E1	Optional ORP probe for PH5 pocket meter, +/-1000mV	A	875.00	1006.25
PH5-E1	Spare pH electrode for PH5 pocket meter	A	620.00	713.00
PH-BUFFER	pH buffer solutions, 500ml each - 4, 7 and 10	A	495.00	569.25

pH/ORP - Portable Meters

M1300K	IP67 Rugged waterproof pH & temp meter c/w epoxy pH electrode, case, buffers	A	2795.00	3214.25
M9201	3-in-1 epoxy body pH electrode with built-in temp sensor, waterproof for M1300K	A	1100.00	1265.00
M9301	ORP platinum ring electrode +/-1200mV, waterproof for M1300K	A	1750.00	2012.50
M1300-ADP	Waterproof adapter cable for M1300K to use standard BNC electrodes	A	225.00	258.75
M1300-TMP	Temperature probe for M1300K (if E65-1/E202 is used) ** M1300-ADP is required	A	560.00	644.00
AZ86P3	3 in 1 combined epoxy body pH electrode with built-in temp sensor, BNC	A	950.00	1092.50
AZ86P5	ORP platinum ring electrode +/-1999mV	A	1700.00	1955.00
AZ87P6	Optional temperature probe for AZ8601/8651 (needed if E65-1/E202 is used)	A	350.00	402.50
PH-BUFFER	pH buffer solutions, 500ml each - 4, 7 and 10	A	495.00	569.25

Pressure - Portable Barometer

VA-8070	Portable digital barometer/absolute pressure, 300~1200hPa, relative altitude	A	1725.00	1983.75
---------	------------------------------------------------------------------------------	----------	---------	---------

Pressure - Barometric Pressure Transmitter

RK300-01BA-L	600 to 1100KPA / 4-20mA / 24VDC / LCD display with 1.5m cable	B	2950.00	3392.50
--------------	---------------------------------------------------------------	----------	---------	---------

Pressure - Portable Manometers (for dry air/non-corrosive gases)

AZ82012	Digital manometer, gauge, vacuum or differential ±1psi / 69mbar	A	2525.00	2903.75
AZ82152	Digital manometer, gauge, vacuum or differential ±15psi / 1bar	A	2525.00	2903.75
AZ8205	Digital manometer, gauge, vacuum or differential ±5psi / 345mbar	A	3100.00	3565.00
AZ8230	Digital manometer, gauge, vacuum or differential ±30psi / 2bar	A	3100.00	3565.00
AZ82100	Digital manometer, gauge, vacuum or differential ±100psi / 7bar	A	3100.00	3565.00
AZ8252	Digital manometer, gauge, vacuum or differential ±2psi / 138mbar	A	3100.00	3565.00

Pressure - Industrial Transmitters

FST800-1KPA	Differential pressure, 0 - 1000Pa, 4-20mA, 24VDC, 1%, hose connections	A	1990.00	2288.50
RK300-06-5KPA	Differential pressure, +/-5000Pa, 4-20mA, 24VDC, 0.5%, hose connections	A	2400.00	2760.00
PT503-1A	1BarAbsolute, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-VAC	-1BarVacuum, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-1B	1BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-2.5B	2.5BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-6B	6BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-10B	10BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-16B	16BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-25B	25BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-40B	40BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
PT503-60B	60BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
PT503-100B	100BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50
FST800-250B	250BarG, 4-20mA, 0.3%, G1/4 male, -20~125°C, Hirschman conn.	A	1450.00	1667.50

Pressure - Submersible Level Transmitters (for water)

FST700-5M	Submersible level transmitter, range 5m water, 10m cable, 4-20mA	A	3310.00	3806.50
FST700-10M	Submersible level transmitter, range 10m water, 15m cable, 4-20mA	A	3565.00	4099.75

Pressure - Scissorgrasp Test Pumps

WRS-Y039	0 - 20 bar, c/w 500mm hose and 2 x 1/4" connectors - NO case	B	3100.00	3565.00
WRS-YFP25	Vac to 25 bar c/w 500mm hose - NO case	B	7490.00	8613.50

Rain Gauge - Tipping Bucket

RK400-04A	200mm diam, 271mm high, 0.2mm/tip pulse output, +/-2% accuracy, up to 4mm/min	B	2475.00	2846.25
-----------	-------------------------------------------------------------------------------	----------	---------	---------

Refractometers (Brix, Salinity and Glycol)

RSD200	IP65 Waterproof digital Brix meter, 0-45% and RI, TFT colour LCD c/w case	B	2950.00	3392.50
WPDR103	IP67 Rugged waterproof digital Brix meter, 0-95% and RI c/w case and charger	B	3800.00	4370.00
WPDR201	IP67 Rugged waterproof digital Salinity meter, 0-28%/280ppm/SG c/w case & charger	B	3550.00	4082.50
WPDR702	IP67 Rugged waterproof for Ethylene/Propylene Glycol, Cleaner, Battery SG c/w case	B	3550.00	4082.50

Scales - Analytical Balance

FA2004	Analytical balance 200g/0.1mg, 7 digit LCD, 80mmØ pan, glass wind shield	B	7900.00	9085.00
--------	--------------------------------------------------------------------------	---	---------	---------

Scales / Balances

SF-400A-5	Compact bench top, 5Kg/1g resolution, 5 digit LCD, Tare, 150x150mm platform	A	450.00	517.50
SF-400A-10	Compact bench top, 10Kg/1g resolution, 5 digit LCD, Tare, 150x150mm platform	A	450.00	517.50
SF-O890-25	Platform scale with separate readout, 25Kg/2g resolution, 5 digit LCD, Tare	A	750.00	862.50
SF-O890-50	Platform scale with separate readout, 50Kg/2g resolution, 5 digit LCD, Tare	A	750.00	862.50
XY10002C	Laboratory scale, 1100g/0.01g resolution, 7 digit LCD, Tare, 130mmØ platform	A	1350.00	1552.50
XY20001B	General purpose, 2100g/0.1g resolution, 6 digit LCD, Tare, 130mmØ platform	A	895.00	1029.25
XY30002C	Laboratory scale, 3300g/0.01g resolution, 7 digit LCD, Tare, 160x160mm platform	A	2450.00	2817.50
XY50001B	General purpose, 5100g/0.1g resolution, 6 digit LCD, Tare, 160x160mm platform	A	990.00	1138.50
XY30MA	Laboratory scale, 30kg/1g resolution, 5 digit LCD, Tare, 230x315mm platform	A	2295.00	2639.25

Solar Radiation - Transmitter

RK200-04MA	Solar radiation sensor, 300-3000nm, 0-1500 W/m2, 4-20mA, aluminium housing	B	4500.00	5175.00
------------	----------------------------------------------------------------------------	---	---------	---------

Sound Meters - Basic Type 2

ET-953	Basic type 2 to IEC 61672, AC+DC output c/w case, wind shield	A	1750.00	2012.50
ET-958	Data logging, Type 2 to IEC 61672 c/w case, wind shield, SW + PC cable	A	2750.00	3162.50
CAL326	Sound level calibrator, Type 2 to IEC 942 (±0.5 dB) c/w case	A	2800.00	3220.00

Stethoscope

MS-120	Electronic stethoscope c/w headset, case, accelerometers, cables, magnet, needle	A	2595.00	2984.25
--------	----------------------------------------------------------------------------------	---	---------	---------

Stroboscope

DT-328E	LED, battery powered, phase shift 0-359deg, 60-120,000fpm c/w case and charger	B	10750.00	12362.50
---------	--------------------------------------------------------------------------------	---	----------	----------

Surface Profile Gauge

BR3931	Digital, 0-750um peak-to-valley height, 1um resolution c/w carry case	A	4800.00	5520.00
TMR100	Digital, 0-1000um (adjustable) peak-to-valley height, 1um resolution c/w carry case	A	5750.00	6612.50

Surface Roughness Tester

TMR120	Pocket type, Integral probe - Ra, Rz, Rq, Rt c/w case, test plate and charger	B	14500.00	16675.00
--------	-------------------------------------------------------------------------------	---	----------	----------

Tachometers

ST723	Digital laser/contact tachometer c/w case & contact adapter set	A	2100.00	2415.00
ST-ADP	Spare contact adapter for ST723	A	200.00	230.00
ST-KIT	Spare surface wheel and rubber cone set for ST723	A	175.00	201.25
REFLECT	Spare reflective tape - 500 x 15mm	A	45.00	51.75

Temperature Probes - Type K Handheld

MTK2	Type K air temperature probe 150mm x 6mm	A	495.00	569.25
MTK3	Type K needle temperature probe 150mm x 3.8mm	A	425.00	488.75
MTK3B	Type K needle temperature probe 300mm x 5mm	A	650.00	747.50
MTK4	Type K surface contact temperature probe 160 x 15mmØ tip	A	650.00	747.50
MTK4B	Type K surface contact temperature probe with 5mmØ button tip	A	650.00	747.50
MTK5	Type K roller surface contact temperature probe for moving surfaces	A	1795.00	2064.25
MTK5-E	Replacement element for MTK-5 roller probe	A	550.00	632.50
TPK01	Bead probe - 1m Teflon wire with welded junction	A	125.00	143.75

Thermal Imager

IR-CAM2	Handheld, Res 60x60, FOV 20x20, -20~+300°C, SD card/BMP photo c/w case	A	7500.00	8625.00
---------	------------------------------------------------------------------------	---	---------	---------

Thermometers - Fridge/Freezer, Min/Max - Wall Mount or Free Standing

AZ87791	Digital triple display wall mount thermohygrometer with Dew Point, internal sensors	A	825.00	948.75
288-CTH	Digital triple display wall mount thermohygrometer clock, internal sensors	A	250.00	287.50
288A-CTH	Digital triple display wall mount thermohygrometer clock, external probe on 2m cable	A	295.00	339.25
288A-P	Spare external humidity/temp probe on 2m cable for 288A-CTH	A	125.00	143.75
FL-201	Digital triple display wall mount thermohygrometer clock	A	250.00	287.50
FL-201W	Digital triple display wall mount thermohygrometer clock + external temp probe	A	295.00	339.25
TM803	Digital fridge/freezer thermometer, external probe, alarm, min/max, magnet	A	225.00	258.75
WH0100	Digital triple display wall mount thermohygrometer + outdoor sensor	A	320.00	368.00

Thermometers - Infrared Handheld

IR806	Basic single laser, 30:1 spot, -50~+650°C, emissivity adjustable c/w case	A	995.00	1144.25
IR831	Circle dots laser, 30:1 spot, -30~+1350°C, emissivity adjustable c/w case	A	1350.00	1552.50
IR833	Dual laser, K TC input, 30:1 spot, -50~+900°C, emissivity adjustable c/w case	A	1550.00	1782.50
IR866U	Gun type, 50:1 spot, -50~+2250°C, emissivity adjustable, USB c/w case, cable&sw	A	3550.00	4082.50

Thermometers - Pocket Type

IR-90	Food thermometer, combo Infrared and foldable probe, dual LCD	A	630.00	724.50
LDT-3305	Digital pocket thermometer -40~+300degC c/w probe 150 x 4mm on 1.5m cable	A	650.00	747.50
TT-02	Low cost digital pocket thermometer -50~+300degC / 145mm probe	A	250.00	287.50

Thermometers - PT100

AZ8821	IP67 HACCP RTD Thermometer c/w case, PT100 probe 150 x 3.2mm and holder	A	3475.00	3996.25
AZ882P	Spare PT100 probe for AZ8821, handheld 150 x 3.2mm on 1m cable	A	1100.00	1265.00

Thermometers - Thermocouple

DM6803A+	Digital single channel K,J,E,T,B,R,S,N thermometer c/w rubber holster & bead probe	A	795.00	914.25
DT-1312	Digital dual channel K input thermometer c/w rubber holster and 2x beaded probes	A	650.00	747.50
HE701	Digital single channel K,J,E,T,R,S,N input thermometer c/w carry case, USB, s/w	A	995.00	1144.25

Thickness Testers - Ultrasonic

TM210B	Advanced rugged thickness gauge, memory, USB c/w case, TM-08 probe and gel	A	6990.00	8038.50
TM210Plus	Basic thickness gauge, memory, USB c/w case, TM-08 probe and gel	A	4900.00	5635.00
TM-06	8mm diameter, 7MHz probe 0.75~80mm for thin material or small curvature	A	1250.00	1437.50
TM-08	10mm diameter, 5MHz probe 1.2~230mm for normal measurements	A	1250.00	1437.50
ZT-12	15mm diameter, 2MHz probe 3~300mm for thick material, scatter or high attenuation	A	1735.00	1995.25
HT-5	13mm diameter, 5MHz probe 3~200mm for high temperature max 300degC	A	3200.00	3680.00
GEL	Spare coupling gel 250ml	A	75.00	86.25

Turbidity Meter - Portable

TN100	Portable, TFT colour screen, 0-1000NTU, IP67 c/w case, polymer solutions, vials etc.	B	11750.00	13512.50
-------	--------------------------------------------------------------------------------------	---	----------	----------

Vibration Testers

AV-160P	Pen type vibration meter A/V/D c/w case and needle	A	5200.00	5980.00
DV-465A	Single axis A/V/D/Hz/RPM c/w case, accelerometer, needle, magnet and headphones	A	6825.00	7848.75

Water Quality Meters - Pen/Pocket Type

PC5	Premium pH/EC/TDS/Salt meter c/w combo probe, case, mini buffers	A	2650.00	3047.50
PC5-E1	Spare combo pH/EC probe for PC5 meter	A	1245.00	1431.75
EC-BUFFER	Conductivity buffer solutions, 500ml 1413µS	A	295.00	339.25
PH-BUFFER	pH buffer solutions, 500ml each - 4, 7 and 10	A	495.00	569.25

Water Quality Meters - Portable

AZ8602	Waterproof pH/Conductivity/DO meter - single input c/w carry case (No probes)	A	2250.00	2587.50
AZ8603	Waterproof pH/Conductivity/DO meter - multi input c/w carry case (No probes)	A	2475.00	2846.25
AZ861P	pH electrode for AZ8602/8603	A	950.00	1092.50
AZ832P	EC probe for AZ8602/8603	A	950.00	1092.50
AZ841P	Polarographic DO probe for AZ8602/8603	A	1245.00	1431.75
AZ840A	Spare membrane and o-ring kit for AZ841P probe	A	479.00	550.85
EC-BUFFER	Conductivity buffer solutions, 500ml 1413µS	A	295.00	339.25
PH-BUFFER	pH buffer solutions, 500ml each - 4, 7 and 10	A	495.00	569.25

Weather Stations - Wireless

HP2000	Wi-Fi wireless weather station kit with all sensors, colour LCD, SD card slot	A	4850.00	5577.50
WH2303	Wireless data logging weather station kit with all sensors, software and USB cable	A	2945.00	3386.75
WH-24	Spare outdoor sensor array for HP1000/WH2303	A	1475.00	1696.25
WH-24WS	Spare wind cups for WH24 (HP1000/WH2303)	A	250.00	287.50
WH-25	Spare indoor sensor for HP1000	A	495.00	569.25

Wind Speed and Direction Sensors

FS-201	IP65 Three cup wind speed sensor with 4-20mA output/5-36VDC supply c/w plug	A	2400.00	2760.00
FS-202	Die cast metal Wind direction sensor, 16deg resolution , 4-20mA/12-24VDC c/w plug	A	2295.00	2639.25
RK110-02CA	ABS/Carbon Fibre Wind direction sensor, 1deg resolution , 4-20mA/12-24VDC c/w plug	A	2650.00	3047.50

Accessories

CM-PCKIT	RS232 cable, USB adapter and software for Amittari (Bondetec/Dobamoni)	A	795.00	914.25
AZUSB-M	USB cable and software for AZ handheld meters	A	695.00	799.25

All prices are in ZA Rands, payment by EFT, cash or Visa/Mastercard in shop only - regrettably cheques no longer accepted

Prices valid while stocks last and subject to change without notice. E&OE

Delivery is not included in the above prices

***** CERTIFICATES OF CALIBRATION ARE NOT INCLUDED - CAN BE QUOTED SEPERATELY IF REQUIRED *****